

Listing and Amendments to th Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) Communication method in a home network comprising at least two devices connected to a communication bus, wherein, a first device including an internet application and a second device including means for connecting to the internet, ~~said second device being able to manage at least one internet application protocol~~, said method comprises the step of:

-sending a request from said first device to said second device for opening a connection between said first ~~[[and second devices]]~~ device and an internet server, wherein said request contains an internet application protocol identifier, corresponding to a protocol chosen among a plurality of protocols supported by the second device, to identify ~~[[the]]~~ an internet application protocol to be used over said connection for exchanging information between the first device and said internet server;

-sending an internet protocol request under the format of said internet application protocol from said first device to said second device;

-forwarding said internet protocol request from said second device to the internet server;

-upon receipt, transferring a response from said internet server to said first device through said second device over said communication bus.

2. (Currently amended) Method according to claim 1, wherein said request by said first device includes ~~[[the]]~~ a message buffer size allocated to ~~said connection by said first device~~ messages for the connection on the home network.

B1 3. (Currently amended) Method according to claim 1 wherein said [[acknowledgment of receipt]] response includes the message buffer size allocated to said connection on the home network by said second device.

4. (Currently amended) Method according to claim 1 wherein, on the home network, a sending device splits data to be sent to a receiving device into messages of a size which is smaller than [[the]] a size of [[the]] a message buffer of the receiving device.

5. (Previously presented) Method according to claim 1, further including the step of sending, by said first device to said second device, a request for a list of internet application protocols supported by said second device.

6. (Previously presented) Method according to claim 1, further comprising the step of sending, by said first device to said second device, an address of a function of said first device, said second device sending internet responses to said first device as parameters of a call of said function.

7. (Previously presented) Method according to claim 1, wherein said second device attributes a connection identifier to a connection requested by said first device, said connection identifier being sent from said first device to said second device as acknowledgment of receipt for said request for opening said connection.

8. (Original) Method according to claim 7, wherein said first and second devices systematically use said connection identifier as parameter for function calls by said first device to said second device or vice-versa.

Claims 9 – 10 (cancelled)

B2 11. (New) Device for connection to a home communication bus and to the Internet, said device comprising an IP protocol stack, characterized in that the device comprises:

- a plurality of internet application protocols;

Ser. No. 09/719,147

Internal Docket No. PF980034

B2 - an application programmable interface for allowing an internet application of a client device on the home communication bus to select one of said internet application protocols by specifying an internet protocol identifier, for use over a connection between the client device and an internet server.
